1. (Original) A method for obtaining information useful for management of a composite e-service, comprising the steps of:

generating a set of management information for each of a set of service interactions among a set of e-services in the composite e-service, the e-services arranged in a tree structure including one of the e-services that provides a portal to the composite e-service;

transferring the sets of management information up the tree structure to the e-service that provides the portal and combining the management information at each of a set of levels of the tree structure.

- 2. (Original) The method of claim 1, wherein the each service interaction comprises a request from one of the eservices and a response from a sub-service in the tree that handles the request.
- 3. (Original) The method of claim 1, wherein the each set of management information is contained in a management object.
- 4. (Original) The method of claim 3, wherein the management object has the form of an XML document.
- 5. (Original) The method of claim 1, wherein the step of combining the management information comprises the step of combining the management information using an indicator carried in each set of management information that identifies a service interaction between a client and the portal.
- 6. (Original) The method of claim 1, wherein the management information includes a time taken by the corresponding eservice to complete a corresponding request.

- 2 -

7. (Original) The method of claim 1, wherein the management information includes an indication of errors that occurred in the corresponding e-service while servicing a corresponding request.

- 8. (Original) The method of claim 1, wherein the management information includes a set of costs incurred in the corresponding e-service while servicing a corresponding request.
- 9. (Original) The method of claim 1, wherein the management information includes an indication of security violations that occurred in the corresponding e-service while servicing a corresponding request.
- 10. (Original) The method of claim 1, wherein the management information includes an indication of resource usage in the corresponding e-service while servicing a corresponding request.
- 11. (Original) A composite e-service comprising a set of e-services arranged in a tree structure including one of the e-services that provides a portal to the composite e-service, each e-service having a manager such that the managers collectively generate a set of management information for each of a set of service interactions among the e-services and transfer the sets of management information up the tree structure to the e-service that provides the portal while combining the management information at each of a set of levels of the tree structure.
- 12. (Original) The composite e-service of claim 11, wherein each e-service includes an application that processes the corresponding service interaction while the corresponding manager gathers the corresponding management information.

- 3 -

- 13. (Original) The composite e-service of claim 11, wherein the managers assemble the management information into a set of management objects.
- 14. (Original) The composite e-service of claim 13, wherein each management object has the form of an XML document.
- 15. (Original) The composite e-service of claim 11, wherein the managers combine the management information using an indicator carried in each set of management information that identifies a service interaction between a client and the portal.
- 16. (Original) The composite e-service of claim 11, wherein the management information includes a time taken by the corresponding e-service to complete a corresponding request.
- 17. (Original) The composite e-service of claim 11, wherein the management information includes an indication of errors that occurred in the corresponding e-service while servicing a corresponding request.
- 18. (Original) The composite e-service of claim 11, wherein the management information includes a set of costs incurred in the corresponding e-service while servicing a corresponding request.
- 19. (Original) The composite e-service of claim 11, wherein the management information includes an indication of security violations that occurred in the corresponding e-service while servicing a corresponding request.
- 20. (Original) The composite e-service of claim 11, wherein the management information includes an indication of resource

usage in the corresponding e-service while servicing a corresponding request.

- 5 -

Attorney Docket No.: 10991884-1